

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE  
STATE OF NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office. NOV 15 1989

Returned to applicant for correction. DEC 18 1989

Corrected application filed. JAN 9 1990 Map filed JAN 9 1990 under 54170

The applicant. Glenbrook Company

1050 E. William Street, #405A of Carson City,  
Street and No. or P.O. Box No. City or Town

Nevada 89701 hereby make<sup>s</sup> application for permission to change the  
State and Zip Code No.

Point of Diversion  
Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Permit No. 52270.  
(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

identify right in Decree.)

- The source of water is Lake Tahoe.  
Name of stream, lake, underground spring or other source.
- The amount of water to be changed .12 CFS not to exceed 36.50 acre feet annually, (See  
Item 15).  
Second feet, acre feet. One second foot equals 448.83 gallons per minute.
- The water to be used for irrigation of the Glenbrook Golf Course.  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
- The water heretofore permitted for irrigation of the Glenbrook Golf Course.  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
- The water is to be diverted at the following point Lot 2 extended Section 10, T14N, R18E, M.D.M.  
Describe as being within a 40-acre subdivision of public survey and by course and  
at a point from which the Southeast corner of said Section 10 bears S 30°49'49"  
distance to a section corner. If on unsurveyed land, it should be stated.  
E a distance of 4575.82 feet.
- The existing permitted point of diversion is located within NW ¼ SE ¼ Section 10, T14N, R18E, M.D.M.  
If point of diversion is not changed, do not answer.  
at a point from which the south meander corner common to Sections 3 and 10, T14N,  
R18E, M.D.M. bears N 6°24'01" W a distance of 3,307.48 feet.
- Proposed place of use See attachment.  
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
- Existing place of use Same as Item 7. No change proposed.  
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or  
manner of use of irrigation permit, describe acreage to be removed from irrigation.
- Use will be from May 1 to October 15 of each year.  
Month and Day Month and Day
- Use was permitted from May 1 to October 15 of each year.  
Month and Day Month and Day
- Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and  
specifications of your diversion or storage works.) See attachment.  
State manner in which water is to be diverted, i.e. diversion structure, ditches,  
pipes and flumes, or drilled well, etc.
- Estimated cost of works \$18,000.
- Estimated time required to construct works One month.

14. Estimated time required to complete the application of water to beneficial use.....Two years.....
15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

...Appropriation of water by Permit No. 52270 is limited to a seasonal duty of...  
...4.0 acre feet per acre of land irrigated, and the total combined duty of water  
...under Permits 52269, 52270 and 43784 is limited to 125.56 acre feet seasonally.

By...s/Shelly N. Turner  
1050 E. William St., #405A  
Carson City, Nevada 89701

Compared...pm/...se.....am/se.....

Protested...3/21/90 by Glenbrook Homeowners Association  
Pro. overruled 2-14-91, .....  
Ruling No. 3781

.....APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of Lake Tahoe heretofore granted under Permit 52270 is issued subject to the terms and conditions imposed in said Permit 52270 and with the understanding that no other rights at the source shall be affected by the change proposed herein. A totalizing meter must be installed in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to a beneficial use. This permit is subject to the final allocation of the State of Nevada under the Calif.-Nev.-Interstate Compact Commission. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 54170, 54171 and 43784 shall not exceed 125.56 acre-feet seasonally.

This permit is issued subject to State Engineer's Ruling No. 3781.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.12.....cubic feet per second., and not to exceed 36.50 acre-feet per season, and not to exceed a seasonal duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before.....March 5, 1993

Proof of completion of work shall be filed before.....April 5, 1993

Application of water to beneficial use shall be made on or before.....March 5, 1995

Proof of the application of water to beneficial use shall be filed on or before.....April 5, 1995

Map in support of proof of beneficial use shall be filed on or before.....N/A

Completion of work filed.....AUG 20 1993.....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No.....Issued.....

IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.  
State Engineer of Nevada, have hereunto set my hand and the seal of  
my office, this 5th day of March  
A.D. 1991

*[Signature]*  
State Engineer

2407 (Rev. 6-81)

MAY 27 1999

CANCELLED BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

*[Signature]*  
STATE ENGINEER

Can rescinded 9-28-99

Attachment  
Supplementary Information

Item 7 and 8 - Place of Use.

<u>Location</u>		
<u>Section No.</u> <u>T14N, R18E</u>	<u>Sectional</u> <u>Subdivision</u>	<u>Irrigated Area,</u> <u>Acres</u>
3	Lot 5	2.88 - Fairways and Greens
3	Lot 5	3.16 - Driving Range
3	SE 1/4 SE 1/4	2.90 - Driving Range
10	NE 1/4 NE 1/4	10.93 - Fairways and Greens
10	NE 1/4 NE 1/4	0.44 - Driving Range
10	Lot 1	6.94 - Fairways and Greens
10	Lot 1	1.60 - Driving Range
10	Lot 2	2.54 - Fairways and Greens
		<hr/> 31.39 ACRES

Item 11. Proposed works of diversion will consist of an 8 inch diameter pipeline extended approximately 560 feet from the high water level meander line into Lake Tahoe with a submersible pump and motor placed at the end of the pipeline. The intake pipe will be connected to water distribution, irrigation pipelines for delivery to the golf course through an automatic sprinkler system.

